

# 学際科学実験センター利用業績一覧 (2005年1月—12月)

## 医学系研究科

### 脳科学専攻

#### 脳細胞遺伝子学

- (1) Hagiwara N, Ikeda K, Higashida H, Tomita K, Yokoyama S. Induction of tumor necrosis factor- $\alpha$  in Schwann cells after gradual elongation of rat sciatic nerve. *J Orthop Sci.* 2005 Nov;10(6):614-21.
- (2) Zhang JS, Jin D, Higashida H. Acetylcholine stimulates cyclic ADP-ribose formation via M1 muscarinic receptors in rat superior cervical ganglion. *Biochem Biophys Res Commun.*2005;335(3):920-4.
- (3) Osamura N, Ikeda K, Ito T, Higashida H, Tomita K, Yokoyama S. Induction of interleukin-6 in dorsal root ganglion neurons after gradual elongation of rat sciatic nerve. *Exp Neurol.* 2005 Sep;195(1):61-70.
- (4) Johansson JU, Lilja L, Chen XL, Higashida H, Meister B, Noda M, Zhong ZG, Yokoyama S, Berggren PO, Bark C. Cyclin-dependent kinase 5 activators p35 and p39 facilitate formation of functional synapses. *Brain Res Mol Brain Res.* 2005 Aug 18;138(2):215-27.
- (5) Yamaguchi M, Shimizu M, Ino H, Terai H, Hayashi K, Kaneda T, Mabuchi H, Sumita R, Oshima T, Hoshi N, Higashida H. Compound heterozygosity for mutations Asp611-->Tyr in KCNQ1 and Asp609-->Gly in KCNH2 associated with severe long QT syndrome. *Clin Sci (Lond).* 2005 Feb;108(2):143-50.

#### 神経分子標的学

- (6) Nakatani Y, Kaneto H, Kawamori D, Yoshiuchi K, Hatazaki M, Matsuoka TA, Ozawa K, Ogawa S, Hori M, Yamasaki Y, Matsuhisa M. Involvement of endoplasmic reticulum stress in insulin resistance and diabetes. *J Biol Chem.* 2005; 280(1): 847-851
- (7) Bando Y., Katayama T., Taniguchi M., Matsuo N., Ishibashi T., Ogawa S.,Tohyama M. RA410/Sly1 suppresses MPP+ and 6-hydroxydopamine induced cell death in SH-SY5Y cells. *Neurobiology of Disease* 2005; 18: 143-151
- (8) Ozawa K, Miyazaki T, Hori O, Kitao Y, Tamatani T, and Ogawa S. The ER chaperone 150 kDa Oxygen Regulated Protein (ORP150) improves insulin resistance in Type 2 Diabetes Mellitus. *Diabetes.* 2005; 54(3): 657-663
- (9) Aleshin AN, Sawa Y, Kitagawa-Sakakida S, Bando Y, Ono M, Memon IA, Tohyama M, Ogawa S, and Matsuda H. 150-kDa oxygen-regulated protein attenuates myocardial ischemia-

reperfusion injury in rat heart. *J Mol Cell Cardiol.* 2005; 38(3): 517-25.

- (10) Inagi R, Onogi H, Nangaku M, Ueyama H, Kitao Y, Ogawa S, Kurokawa K, Couser WG, and Miyata T. Involvement of endoplasmic reticulum (ER) stress in podocyte injury associated with a novel transgenic model of serpinopathy. *Kidney International.* 2005; 68: 2639-2650

#### シナプス発達・機能学

- (11) Hashimotodani Y, Ohno-Shosaku T, Tsubokawa H, Ogata H, Emoto K, Maejima T, Araishi K., Shin H-S, Kano M. Phospholipase C $\beta$  serves as a coincidence detector through its Ca<sup>2+</sup> dependency for triggering endocannabinoid signal. *Neuron* 2005;45: 257-68.
- (12) Tabata T, Haruki S, Nakayama H, Kano M. GABAergic activation of an inwardly rectifying K<sup>+</sup> current in mouse cerebellar Purkinje cells. *J Physiol. (London)*,2005;563: 443-57.
- (13) Maejima T., Oka S, Hashimotodani Y, Ohno-Shosaku T, Aiba A, Wu D, Waku K, Sugiura T, Kano M. Synaptically driven endocannabinoid release requires Ca<sup>2+</sup>-assisted metabotropic glutamate receptor subtype 1 to phospholipase C  $\beta$ 4 signaling cascade in the cerebellum. *J. Neurosci.*2005; 25: 6826-35.
- (14) Ohno-Shosaku T., Hashimotodani Y, Maejima T, Kano M. Calcium signaling and synaptic modulation: Regulation of endocannabinoid-mediated synaptic modulation by calcium. *Cell Calcium.*2005;38: 369-74.
- (15) Hashimoto K, Kano, M. Postnatal development and synapse elimination of climbing fiber to Purkinje cell projection in the cerebellum. *Neurosci Res.*2005;53: 221-8.
- (16) Kakizawa S, Miyazaki T, Yanagihara D, Iino M, Watanabe M, Kano M. Maintenance of presynaptic function by AMPA receptor-mediated excitatory postsynaptic activity in adult brain. *Proc Natl. Acad Sci. USA.*2005; 102: 19180-5.

#### 光情報伝達学

- (17) Takahira M, Sakurai M, Sakurada N, Sugiyama K. Fenamates and diltiazem modulate lipid-sensitive mechano-gated 2P domain K(+) channels. *Pflugers Arch.* 2005 Dec;451(3):474-8.

#### 再生脳外科

- (18) Shimazawa M, Yamashima T, Agarwal N, Hara H. Neuroprotective effects of minocycline against in vitro and in vivo retinal ganglion cell damage. *Brain Res.* 2005 Aug 16;1053 (1-2):185-94.
- (19) Tonchev AB, Yamashima T, Sawamoto K, Okano H. Enhanced proliferation of progenitor cells in the subventricular zone and limited neuronal production in the striatum and neocortex of adult macaque monkeys after global cerebral ischemia. *J Neurosci Res.* 2005 Sep 15;81 (6):776-88.

- (20) Morimoto N, Shimazawa M, Yamashita T, Nagai H, Hara H. Minocycline inhibits oxidative stress and decreases in vitro and in vivo ischemic neuronal damage. *Brain Res.* 2005 May 17;1044(1):8-15.

## がん医科学専攻

### 組織発達構築学

- (21) Iseki S, Kim JG, Kudo Y, Naito Y, Hipkayo W. Impaired induction of cystatin S gene expression by isoproterenol in the submandibular gland of hypophysectomized rats. *Arch Oral Biol.* 2005 Jul;50(7):653-60.
- (22) Sakulsak N, Wakayama T, Hipkayo W, Yamamoto M, Iseki S. Cloning and characterization of a novel animal lectin expressed in the rat sublingual gland. *J Histochem Cytochem.* 2005 Nov;53(11):1335-43.

### がん遺伝子治療学

- (23) Honda M, Shimazaki T, Kaneko S. La protein is a potent regulator of replication of hepatitis C virus in patients with chronic hepatitis C through internal ribosomal entry site (IRES) directed translation. *Gastroenterology* 2005;128(2):449-62.
- (24) Kawaguchi K, Honda M, Yamashita T, Shiota Y, Kaneko S. Differential gene alteration among hepatoma cell lines demonstrated by cDNA microarray-based comparative genomic hybridization. *Biochem Biophys Res Commun.*2005; 329(1):370-80.
- (25) Matsuda M, Nakamoto Y, Suzuki S, Kurata T, Kaneko S. Interferon-gamma-mediated hepatocarcinogenesis in mice treated with diethylnitrosamine. *Lab Invest.*2005; 85: 655-63.
- (26) Honda M, Kawai H, Shiota Y, Yamashita T, Takamura T, Kaneko S. cDNA microarray analysis of autoimmune hepatitis, primary biliary cirrhosis and consecutive disease manifestation. *J Autoimmun.*2005;25(2):133-40.
- (27) Iida H, Honda M, Kawai H, Yamashita T, Shiota Y, Wang B-C, Miao H, Kaneko S. Ephrin-A1 Expression Contributes to the Malignant Characteristics of  $\alpha$ -Fetoprotein-Producing Hepatocellular Carcinoma. *Gut* 2005;54(6):843-51.
- (28) Honda M, Kawai H, Shiota Y, Yamashita T, Kaneko S. Differential gene expression profiles in stage I primary biliary cirrhosis. *Am J Gastroenterol.*2005;100(9):2019-30.
- (29) Fujii C, Nakamoto Y, Lu P, Tsuneyama K, Popivanova BK, Kaneko S, Mukaida N. Aberrant expression of serine/threonine kinase Pim-3 in hepatocellular carcinoma development and its role in the proliferation of human hepatoma cell lines. *Int J Cancer* 2005; 114(2):209-21.

## がん遺伝子治療学

- (30) Honda M, Kawai H, Shirota Y, Yamashita T, Takamura T, Kaneko S. cDNA microarray analysis of autoimmune hepatitis, primary biliary cirrhosis and consecutive disease manifestation. *J Autoimmun.* 2005 Sep;25(2):133-40.
- (31) Akahori H, Ota T, Torita M, Ando H, Kaneko S, Takamura T. Tranilast prevents the progression of experimental diabetic nephropathy through suppression of enhanced extracellular matrix gene expression. *J Pharmacol Exp Ther.* 2005 Aug;314(2):514-21.
- (32) 篁 俊成, 櫻井 勝, 太田嗣人, 金子周一, 非アルコール性脂肪肝. In: 矢崎義雄, 渥美義人, 門脇孝, 春日雅人, 清野 進 (eds). 分子糖尿病の進歩2005-基礎から臨床まで-. 金原出版, 東京, pp 153-161, 2005
- (33) 篁 俊成, 櫻井 勝, 金子周一, 肝細胞の脂肪化が形成する代謝症候群の病態と分子病理, 内分泌・糖尿病科 (2005)
- (34) Wada T, Furuichi K, Matsushima K, Yokoyama H, Kaneko S: Inflammatory insight into ischemia-reperfusion injury in kidney. *Recent Res Devel Resp Critical Care Med.*2005; 3:1-10.
- (35) Sakai N, Wada T, Yokoyama H, Kaneko S: Crescentic glomerulonephritis as vasculitis in kidney: The involvement of chemokines and MAPK signaling. *Recent Res Devel Resp Critical Care Med.*2005; 3,:11-9.

## 集学的治療学

- (36) Miwa S, Mizokami A, Keller ET, Taichman R, Zhang J, Namiki M. The bisphosphonate YM529 inhibits osteolytic and osteoblastic changes and CXCR-4-induced invasion in prostate cancer. *Cancer Res.* 2005 Oct 1;65(19):8818-25.

## バイオトレーサ診療学

- (37) Kinuya S, Yokoyama K, Fukuoka M, Mori H, Shiba K, Watanabe N, Shuke N, Michigishi T, Tonami N. Anti-angiogenic therapy and chemotherapy affect <sup>99m</sup>Tc sestamibi and <sup>99m</sup>Tc-HL91 accumulation differently in tumour xenografts. *Nucl Med Commun.* 2005 Dec;26(12):1067-73.
- (38) Kinuya S, Yokoyama K, Izumo M, Sorita T, Obata T, Mori H, Shiba K, Watanabe N, Shuke N, Michigishi T, Tonami N. Locoregional radioimmunotherapy with <sup>186</sup>Re-labeled monoclonal antibody in treating small peritoneal carcinomatosis of colon cancer in mice in comparison with <sup>131</sup>I-counterpart. *Cancer Lett.* 2005 Feb 28;219(1):41-8.
- (39) Higuchi T, Taki J, Nakajima K, Kinuya S, Namura M, Tonami N. Time course of discordant BMIPP and thallium uptake after ischemia and reperfusion in a rat model. *J Nucl Med.* 2005 Jan;46(1):172-5.

## 再生分子医学

- (40) Akagi T, Usuda M, Matsuda T, Ko MS, Niwa H, Asano M, Koide H, Yokota T. Identification of Zfp-57 as a downstream molecule of STAT3 and Oct-3/4 in embryonic stem cells. *Biochem Biophys Res Commun.* 2005 May 27;331(1):23-30.

## 細胞移植学

- (41) Ishiura Y, Fujimura M, Nobata K, Oribe Y, Abo M, Myou S, Nonomura A. In vivo PAF-induced airway eosinophil accumulation reduces bronchial responsiveness to inhaled histamine. *Prostaglandins and other lipid mediators* 2005;75 (1-4): 1-12.
- (42) Oribe Y, Fujimura M, Kita T, Katayama N, Nishitsuji M, Hara J, Myou S, Nakao S. Effect of H+K+ATPase inhibitors on airway cough hypersensitivity induced by allergic airway inflammation in guinea pigs. *Clin Exp Allergy* 2005;35 (3): 262-7.
- (43) Kurashima K, Tamura J, Fujimura M, Qiu Z, Nakao S, Mukaida N. Reduced serum antibody production and acute airway inflammation in interleukin 6-deficient mice challenged with ovalbumin. *Allergology International* 2005;54 (2): 331-8.
- (44) Nobata K, Kurashima K, Fujimura M, Abo M, Ishiura Y, Kasahara K, Nakao S. Inhaled lysophosphatidylcholine directly provokes bronchoconstriction in guinea pigs. *Eur J Pharmacol.*2005; 520 (1-3):150-5.
- (45) Hara J, Fujimura M, Myou S, Oribe Y, Furusho S, Kita T, Nobata K, Ishimura Y, Yasui M, Kasahara K, Nakao S. Comparison of cough reflex sensitivity after an inhaled antigen challenge between actively and passively sensitized guinea pigs. *Cough* 2005;1: 6.
- (46) Ishiura Y, Fujimura M, Nobata K, Abo M, Oribe T, Myou S, Nakamura H. Phosphodiesterase 3 inhibition and cough in elderly asthmatics. *Cough* 2005;1: 11.

## 循環医科学専攻

### 血管分子生物学

- (47) Yonekura H., Yamamoto Y., Sakurai S., Watanabe T, Yamamoto H. Roles of the receptor for advanced glycation endproducts in diabetes-induced vascular injury. *J. Pharmacol. Sci.*2005; 97 (3):305-11.
- (48) Cheng C, Tsuneyama K, Kominami R, Shinohara H, Sakurai S, Yonekura H, Watanabe T, Takano, Y, Yamamoto H, Yamamoto Y. Expression profiling of endogenous secretory receptor for advanced glycation end products in human organs. *Mod Pathol.*2005; 18 (10): 1385-96.
- (49) Mynt KM, Yamamoto Y, Sakurai S, Harashima A, Watanabe T, Li H, Takeuchi A, Yoshimura K, Yonekura H, Yamamoto H. Blockage of diabetic vascular injury by controlling of AGE-RAGE system. *Current Drug Targets* 2005;6 (4): 447-52.
- (50) Yamamoto Y, Doi T, Kato I, Shinohara H, Sakurai S, Yonekura H, Watanabe T, Myint KM, Harashima A, Takeuchi M, Takasawa S, Okamoto H, Hashimoto N, Asano M,

Yamamoto H. Receptor for advanced glycation end products is a promising target of diabetic nephropathy. *Ann NY Acad Sci.*2005;1043:562-6.

- (51) Koyama H, Shoji T, Yokoyama H, Motoyama K, Mori K, Fukumoto S, Emoto M, Shoji T, Tamei H, Matsuki H, Sakurai S, Yamamoto Y, Yonekura H, Watanabe T, Yamamoto H, Nishizawa, Y. Plasma level of endogenous secretory receptor for advanced glycation endproducts (esRAGE) is associated with components of the metabolic syndrome and atherosclerotic arterial wall thickness. *Arterioscler Thromb Vasc Biol.*2005; 25(12):2587-93.
- (52) 原島 愛, 山本靖彦, 山本 博: AGE-RAGE 系. *日本臨床* 63 (Suppl 6), 62-66 (2005)
- (53) 山本靖彦, 米倉秀人, 櫻井 繁, 渡辺琢夫, 山本 博: 糖尿病腎症における AGE-RAGE 相互作用. *内分泌・糖尿病科* 20 (3), 243-250 (2005)
- (54) 米倉秀人: 糖尿病血管合併症の分子機構 - 糖化蛋白受容体 (RAGE)の役割 -. *金沢大学十全医学会雑誌* 114 (4), 137-141 (2005)
- (55) 米倉秀人, 李 慧, 山本 博: アンチセンス DNA を用いた機能的遺伝子同定法 - アンチセンスディスプレイ法の原理と適用 -. *RNAi 法とアンチセンス法 - RNAの科学と応用* (関根光雄, 多比良和誠 編), 講談社サイエンティフィック社, pp.189-199 (2005)

#### 血管分子生理学

- (56) Nagasawa S, Takuwa N, Sugimoto N, Mabuchi H, Takuwa Y. Inhibition of Rac activation as a mechanism for negativeregulation of actin cytoskeletal reorganization and cell motility by cyclic AMP. *Biochem J.*2005; 385:737-44.
- (57) Senokuchi T, Matsumura T, Sakai M, Yano M, Taguchi T, Sonoda K, Kukidome D, Imoto K, Nishikawa T, Kim-Mitsuyama S, Takuwa Y, Araki E. Statins suppress oxidized low-density lipoprotein-induced macrophage proliferation by inactivation of small G protein -p38 MAPK pathway. *J Bio Chem.*2005; 280:6627-33.
- (58) Philippova M, Ivanov D, Allenspach R, Takuwa Y, Erne P, Resink T. RhoA and Rac mediate endothelial cell polarisation and detachment induced by T-cadherin. *FASEB J.*2005; 19:588-90.
- (59) Ohkawara H, Ishibashi T, Sakamoto T, Sugimoto K, Nagata K, Yokoyama K, Sakamoto N, Kamioka M, Matsuoka I, Fukuhara S, Sugimoto N, Takuwa Y, Maruyama Y. Thrombin-induced rapid geranylgeranylation of RhoA as an essential process for RhoA activation in endothelial cells. *J Biol Chem.*2005;280:10182-8.
- (60) Sakamoto T, Ishibashi T, Sakamoto N, Sugimoto K, Egashira K, Ohkawara H, Nagata K, Yokoyama K, Kamioka M, Ichiki T, Sugimoto N, Kurabayashi M, Suzuki K, Takuwa Y, Maruyama Y. Endogenous NO Blockade Enhances Tissue Factor Expression via Increased Ca<sup>2+</sup> Influx through MCP-1 in Endothelial Cells by Monocyte Adhesion *Arterioscler Thromb Vascu Biol.*2005; 25:2005-11.
- (61) Ohtsu H, Mifune M, Frank GD, Saito S, Inagami T, Kim-Mitsuyama S, Takuwa Y, Sasaki

T, Rothstein JD, Suzuki H, Nakashima H, Woolfolk EA, Motley ED, Eguchi S. Signal-Crosstalk Between Rho/ROCK and c-Jun NH<sub>2</sub>-Terminal Kinase Mediates Migration of Vascular Smooth Muscle Cells Stimulated by Angiotensin II Arterioscler Thromb Vasc Biol.2005; 25:1831-6.

#### 血管新生・結合組織代謝学

(62) Chujo S, Shirasaki F, Kawara S, Inagaki Y, Kimbara T, Inaoki M, Takigawa M, Takehara K. Connective Tissue Growth Factor Causes Persistent Pro $\alpha$ 2(I) Collagen Gene Expression Induced by Transforming Growth Factor- $\beta$  in a Mouse Fibrosis Model. J Cell Physiol. 2005;203:447-56.

(63) 松下貴史, 長谷川稔, 小村一浩, 平野貴士, 濱口儒人, 堀川真由香, 近藤美幾, 折戸秀光, 加治賢三, 斉藤佑希, 藤本学, 佐藤伸一, 竹原和彦. 抗アミノアシルtRNA合成酵素抗体陽性皮膚筋炎の臨床的特徴に関する検討. 日皮会誌. 2005. 115. 2267-2274

#### 血液情報統御学

(64) Fujita SI, Senda Y, Iwagami T, Hashimoto T. Rapid Identification of Staphylococcal Strains from Positive-Testing Blood Culture Bottles by Internal Transcribed Spacer PCR Followed by Microchip Gel Electrophoresis J. Clin. Microbiol. 2005 43: 1149-1157.

#### 血管分子遺伝学

(65) Takeda Y, Usukura M, Yoneda T, Oda N, Ito Y, Mabuchi H. The expression of messenger RNA for ADP-ribosyl cyclase in aldosterone-producing adenoma. Clinical Endocrinology 2005 62;504-508

#### 心肺病態制御学

(66) Hirano Y, Omura K, Yoshiba H, Ohta N, Hiranuma C, Nitta K, Nishida Y, Watanabe G. Near-infrared spectroscopy for assessment of tissue oxygen saturation of transplanted jejunal autografts in cervical esophageal reconstruction. Surg Today. 2005;35(1):67-72.

(67) Kurokawa M, Matsumoto I, Oda M, Watanabe G. Effective 6-hour preservation in non-heart-beating donor canine lungs with topical cooling: assessment from histopathological aspects. Surg Today. 2005;35(5):389-95.

(68) Matsumoto I, Ohta Y, Oda M, Tsunozuka Y, Tamura M, Kawakami K, Watanabe G. Free pericardial fat pads can act as sealant for preventing alveolar air leaks. Ann Thorac Surg. 2005 Dec;80(6):2321-4.

#### 分子情報薬理学

(69) Takahashi Y, Zhu H, Xu W, Murakami T, Iwasaki T, Hattori H, Yoshimoto T. Selective

uptake and efflux of cholesteryl linoleate in LDL by macrophages expressing 12/15-lipoxygenase. *Biochem Biophys Res Commun.* 2005 Dec 9;338(1):128-35.

#### 生体防御応答学

- (70) Kato S, Shiratsuchi A, Nagaosa K, Nakanishi Y. Phosphatidylserine- and integrin-mediated phagocytosis of apoptotic luteal cells by macrophages of the rat. *Dev. Growth Differ.* 2005; 47: 153-61.
- (71) Nakagawa A, Shiratsuchi A, Tsuda K, Nakanishi Y. In vivo analysis of phagocytosis of apoptotic cells by testicular Sertoli cells. *Mol Reprod Dev.* 2005;71:166-77.
- (72) Watanabe Y, Hashimoto Y, Shiratsuchi A, Takizawa T, Nakanishi Y. Augmentation of fatality of influenza in mice by inhibition of phagocytosis. *Biochem Biophys Res Commun.* 2005; 337:881-6.

#### 薬物代謝化学

- (73) Tsuchiya Y, Nakajima M, Yokoi T. Cytochrome P450-mediated metabolism of estrogens and its regulation in human. *Cancer Lett.* 2005;227:115-24.

#### 血液情報統御学

- (74) Fujita SI, Senda Y, Iwagami T, Hashimoto T. Rapid Identification of Staphylococcal Strains from Positive-Testing Blood Culture Bottles by Internal Transcribed Spacer PCR Followed by Microchip Gel Electrophoresis *J. Clin. Microbiol.* 2005;43: 1149-57.

#### 医薬情報統御学

- (75) Yonemura Y, Endou Y, Tochiori S, Bando E, Kawamura T, Shimada T, Miyamoto K, Tanaka M, Sasaki T. Effect of intraperitoneal chemotherapy on experimental peritoneal dissemination of gastric cancer. *Gan To Kagaku Ryoho.* 2005 Oct;32(11):1635-9.
- (76) Jin M, Shimada T, Shintani M, Yokogawa K, Nomura M, Miyamoto K. Long-term levothyroxine treatment decreases the oral bioavailability of cyclosporin A by inducing P-glycoprotein in small intestine. *Drug Metab Pharmacokinet.* 2005 Oct;20(5):324-30.
- (77) Morito S, Yaguchi K, Imada M, Tachikawa C, Nomura M, Moritani S, Igarashi M, Yokogawa K, Miyamoto K. Insulin signaling in adipocytes differentiated from mouse stromal MC3T3-G2/PA6 cells. *Biol Pharm Bull.* 2005 Nov;28(11):2040-5.
- (78) Nomura M, Tsukada H, Ichimatsu D, Ito H, Yoshida T, Miyamoto K. Inhibition of epidermal growth factor-induced cell transformation by tannins. *Phytochemistry.* 2005 Sep;66(17):2038-46.
- (79) Nomura M, Matsunami T, Kobayashi K, Uchibayashi T, Koshida K, Tanaka M, Namiki M, Mizuhara Y, Akiba T, Yokogawa K, Moritani S, Miyamoto K. Involvement of ABC



transporters in chemosensitivity of human renal cell carcinoma, and regulation of MRP2 expression by conjugated bilirubin. *Anticancer Res.* 2005 Jul-Aug;25(4):2729-35.

- (80) Nomura M, Ichimatsu D, Moritani S, Koyama I, Dong Z, Yokogawa K, Miyamoto K. Inhibition of epidermal growth factor-induced cell transformation and Akt activation by caffeine. *Mol Carcinog.* 2005 Sep;44(1):67-76.
- (81) Jin M, Shimada T, Yokogawa K, Nomura M, Mizuhara Y, Furukawa H, Ishizaki J, Miyamoto K. Cremophor EL releases cyclosporin A adsorbed on blood cells and blood vessels, and increases apparent plasma concentration of cyclosporin A. *Int J Pharm.* 2005 Apr 11;293(1-2):137-44.
- (82) Shimada T, Nomura M, Yokogawa K, Endo Y, Sasaki T, Miyamoto K, Yonemura Y. Pharmacokinetic advantage of intraperitoneal injection of docetaxel in the treatment for peritoneal dissemination of cancer in mice. *J Pharm Pharmacol.* 2005 Feb;57(2):177-81.

## 環境医科学専攻

### 環境生体分子応答学

- (83) Tanii H, Higashi T, Nishimura F, Higuchi Y, Saijoh K. Induction of detoxication enzymes in mice by naturally occurring allyl nitrile. *J Agric Food Chem.* 2005 Nov 16;53(23):8993-6.

## 医学部保健学科

### 放射線技術科専攻

- (1) Kanayama Y, Tsuji T, Enomoto S, Amano R. Multitracer screening: brain delivery of trace elements by eight different administration methods. *Biometals.* 2005 Dec;18(6):553-65.
- (2) Tarohda T, Ishida Y, Kawai K, Yamamoto M, Amano R. Regional distributions of manganese, iron, copper, and zinc in the brains of 6-hydroxydopamine-induced parkinsonian rats. *Anal Bioanal Chem.* 2005 Sep;383(2):224-34.
- (3) Haba H, Kaji D, Kanayama Y, Igarashi K, Enomoto S. Development of a gas-jet-coupled multitarget system for multitracer production. *Radiochim Acta.* 2005 Sep;93(9,10):539-42.
- (4) Kanayama Y, Enomoto S, Irie T, Amano R. Axonal transport of rubidium and thallium in the olfactory nerve of mice. *Nucl Med Biol.* 2005 Jul;32(5):505-12.
- (5) Wahiyama K, Amano R, Sasaki J, Ogawa D, Kinuya S, Tonami N, Shiokawa Y, Mitsugashira T. Biodistribution of  $^{227}\text{Th}$ -EDTMP: comparison with  $^{227}\text{Th}$ -citrate,  $^{153}\text{Sm}$ -EDTMP, and  $^{223}\text{Ra}$ -chloride. *J Labelled Comp Radiopharm.* 2005 June;48(suppl. 1):S124.
- (6) Wahiyama K, Ogawa D, Kinuya S, Mitsugashira T, Kanayama Y, Haba H, Enomoto S, Amano R. Rapid clearance of daughter  $^{211}\text{Pb}$  by DOTMP co-administered with  $^{223}\text{Ra}$ . *J Nucl. Med.* 2005 May;46(suppl. 2):225P.
- (7) Ono Y, Kanayama Y, Haba H, Enomoto S, Amano R. Preliminary study on  $^{88}\text{Y}$  olfactory

transport: Animal experiment. RIKEN Accel Prog Rep. 2005;38:118.

- (8) Kanayama Y, Haba H, Enomoto S, Amano R. Brain uptake behavior of  $^{24}\text{Na}$ ,  $^{28}\text{Mg}$ ,  $^{43}\text{K}$  and  $^{47}\text{Ca}$  by intranasal administration. RIKEN Accel Prog Rep. 2005;38:117.
- (9) 吉本光喜, 小川数馬, 鷺山幸信, 森厚文, 天野良平, 川井恵一:  $^{90}\text{Y}$  標識環状 RGD ペンタペプチドの腫瘍内用照射治療薬剤としての可能性. 核医学 2005 42(3): S237.
- (10) 鷺山幸信, 吉本光喜, 絹谷清剛, 金山洋介, 榎本秀一, 川井恵一, 天野良平:  $^{223}\text{Ra}$  と DOTMP の混合投与による娘核種  $^{211}\text{Pb}$  の腎排泄促進. 核医学 2005 42(3): S217.
- (11) 鷺山幸信, 金山洋介, 羽場宏光, 榎本秀一, 天野良平:  $^{203}\text{Pb}$  トレーサーの製造と核医学応用. J Nucl Radiochem Sci. 2005 6(suppl.):152.
- (12) 鷺山幸信, 今北有美, 小川数馬, 三頭聰明, 天野良平:  $^{227}\text{Th}$ -EDTMP と  $^{223}\text{RaCl}_2$  のげっ歯類における最大耐用線量の決定. J Nucl Radiochem Sci. 2004 6(suppl.):151.
- (13) 太郎田融, 天野良平, 山本政儀, 石田康, 川井恵一, 榎本秀一: パーキンソン病進行に伴う関連部位へのマンガン集積. J Nucl Radiochem Sci. 2005 6(suppl.):126.

## 自然科学研究科 (理学部)

### 物理学科

#### 量子物性

- (1) Fujishita H, Ishikawa Y, Ogawaguchi A, Kato K, Nishibori E, Takata M, Sakata M: A Study of structures and order parameters in antiferroelectric  $\text{PbHfO}_3$  by synchrotron radiation. J Phys Soc Jpn. 2005;74: 2743-7.

### 化学科

#### 放射化学

- (2) Kikunaga H, Kasamatsu Y, Takamiya K, Mitsugashira T, Hara M, Ohtsuki T, Yuki H, Shinohara A, Shibata S, Kinoshita N, Yokoyama A, Nakanishi T, Search for  $\alpha$ -decay of  $^{229\text{m}}\text{Th}$  produced from  $^{229}\text{Ac}$   $\beta$ -decay following  $^{232}\text{Th}(\gamma, p2n)$  reaction. Radiochim. Acta 2005; 93:507-10.
- (3) Kasamatsu Y, Kikunaga H, Takamiya K, Mitsugashira T, Nakanishi T, Ohkubo Y, Ohtsuki T, Sato W, Shinohara A, Search for the decay of  $^{229\text{m}}\text{Th}$  by photon detection, Radiochim. Acta 2005; 93:511-4.
- (4) Ninomiya K, Sugiura H, Kasamatsu Y, Kikunaga H, Takamiya K, Sato W, Matsumura H, Yokoyama A, Sueki K, Miura T, Hamajima Y, Shinohara A, Energy shift of electronic X-rays emitted from pionic atoms, Radiochim. Acta 2005; 93:515-8.
- (5) Nagame Y, Tsukada K, Asai M, Toyoshima A, Akiyama K, Ishii Y, Kaneko-Sato T, Hirata M, Nishinaka I, Ichikawa S, Haba H, Enomoto S, Matuo K, Saika D, Kitamoto Y, Hasegawa H, Tani Y, Sato W, Shinohara A, Ito M, Saito J, Goto S, Kudo H, Kikunaga H, Kinoshita

- N, Yokoyama A, Sueki K, Oura Y, Nakahara H, Sakama M, Shaedel M, Bruchel W, Kratz J V, Chemical studies on rutherfordium (Rf) at JAERI, *Radiochim. Acta* 2005;93:519-26.
- (6) Yoshikawa H, Nakahara H, Imamura M, Kobayashi K, Nakanishi T, Determination of <sup>14</sup>C in volcanic gas by accelerator mass spectrometry, *Radiocarbon* 2005; 47:211-9.

## 錯体化学

- (7) Osako T, Terada S, Tosha T, Nagatomo S, Furutachi H, Fujinami S, Kitagawa T, Suzuki M, Itoh S. Structure and dioxygen-reactivity of copper(I) complexes supported by bis(6-methylpyridin-2-ylmethyl)amine tridentate ligands. *Dalton Trans.* 2005 Nov 7;(21):3514-21.
- (8) Itoh K, Hayashi H, Furutachi H, Matsumoto T, Nagatomo S, Tosha T, Terada S, Fujinami S, Suzuki M, Kitagawa T. Synthesis and reactivity of a ( $\mu$ -1,1-hydroperoxo)( $\mu$ -hydroxo)dicopper(II) complex: ligand hydroxylation by a bridging hydroperoxo ligand. *J Am Chem Soc.* 2005 Apr 13;127(14):5212-23.
- (9) Furutachi H, Hashimoto K, Nagatomo S, Endo T, Fujinami S, Watanabe Y, Kitagawa T, Suzuki M. Reversible O-O bond cleavage and formation of a peroxo moiety of a peroxocarbonate ligand mediated by an iron(III) complex. *J Am Chem Soc.* 2005 Apr 6;127(13):4550-1.
- (10) Zhang X, Furutachi H, Fujinami S, Nagatomo S, Maeda Y, Watanabe Y, Kitagawa T, Suzuki M. Structural and spectroscopic characterization of ( $\mu$ -hydroxo or  $\mu$ -oxo)( $\mu$ -peroxo)diiron(III) complexes: models for peroxo intermediates of non-heme diiron proteins. *J Am Chem Soc.* 2005 Jan 26;127(3):826-7.
- (11) Jikido R, Shiraishi H, Matsufuji K, Ohba M, Furutachi H, Suzuki M, Okawa H. Mass Spectrometric and Spectroscopic Studies on Hydrolysis of Phosphoesters by Bis( $\mu$ -acetato)- $\mu$ -phenolato Dinuclear Metal(II) Complexes (Metal = Mn, Co, Ni, and Zn). *Bull Chem Soc Jpn.* 2005;78:1795-1803.

## 生物学科

### 発生生物学

- (12) Kakei M, Iwami M, Sakurai S. Death commitment in the anterior silk gland of the silkworm, *Bombyx mori*. *J Insect Physiol.* 2005 Jan;51(1):17-25.
- (13) Oda Y, Iwami M, Sakurai S. Membrane-bound sorbitol 6-phosphatase in fat body cells controls the dynamics of sorbitol 6-phosphate, a major hemolymph sugar in the silkworm. *Insect Biochem Mol Biol.* 2005 Nov;35(11):1284-92.
- (14) Terashima J, Takaki K, Sakurai S, Bownes M. Nutritional status affects 20-hydroxyecdysone concentration and progression of oogenesis in *Drosophila melanogaster*. *J Endocrinol.* 2005 Oct;187(1):69-79.

## 遺伝学

- (15) Kobayashi T, Endoh H. A possible role of mitochondria in the apoptotic-like programmed nuclear death of *Tetrahymena thermophila*. *FEBS J.* 2005; 272: 5378-87.
- (16) Awata H, Noto T, Endoh H. Differentiation of somatic mitochondria and the structural changes in mtDNA during development of the dicyemid *Dicyema japonicum* (Mesozoa). *Mol Genet Genomics* 2005;273: 441-9.
- (17) Nishi A, Ishida K, Endoh H. Reevaluation of the evolutionary position of opalinids based on 18S rDNA, and  $\alpha$ - and  $\beta$ -tubulin gene phylogenies. *J Mol Evol.* 2005;60: 695-705.

## 地球学科

### 岩石学・火山学

- (18) Ichiyama Y, Ishiwatari A. HFSE-rich picritic rocks from the Mino accretionary complex, southwestern Japan. *Contributions to Mineralogy and Petrology*, 2005;149: 373-87.
- (19) 石渡 明・柳田祐樹・李 毅兵・原口 悟・石井輝秋・市山祐司・小泉一人・梅香 賢. 小笠原前弧の母島海山はオフィオライトか蛇紋岩海山かー ドレッジ岩石学の成果ー. 月刊地球, 号外 No. 52, 140-148. (2005)
- (20) Ichiyama, Y., Ishiwatari, A., Hirahara, Y., Shuto, K. Geochemical and isotopic constraints on the genesis of the Permian ferropicritic rocks from the Mino-Tamba belt, SW Japan. *Lithos* (in press, available on line). (2005)
- (21) Matsumoto T, Morishita T, Matsuda J, Fujikawa T, Takebe M, Yamamoto K, Arai S. Noble gases in the Finero Phlogopite-Peridotites, Western Italian Alps. *Earth and Planetary Science letters* 2005;238:130-45.
- (22) Morishita T. Occurrence and chemical composition of barian feldspars in a jadeitite from the Itoigawa-Ohmi district in the Renge high-P/T type metamorphic belt, Japan. *Mineralogical Magazine* 2005; 69:39-51.
- (23) Morishita T, Ishida Y, Arai S. Simultaneous determination of multiple trace element compositions in thin (< 30  $\mu$ m) layers of BCR-2G by 193 nm ArF excimer laser ablation-ICP-MS: implications for matrix effect and element fractionation on quantitative analysis. *Geochemical Journal*2005; 39: 327-40.
- (24) Morishita T, Ishida Y, Arai S, Shirasaka M. Determination of multiple trace element compositions in thin (< 30 micron meter) layers of NIST SRM 614 and 616 using laser ablation ICP-MS. *Geostandards and Geoanalytical Research* 2005;29:107-22.

### 環境地質学

- (25) Khodijah CS, Tazaki K, Asaa R, Kogure K. Interaction between Clay Minerals and Hydrocarbon-Utilizing Indigenous Microorganisms in High Concentrations of Heavy Oil : Implications for Bioremediation. *Clay Minerals*.2005; 40:105-14.

- (26) 渡部大然, 渡邊千尋, 門前亮一, 田崎和江, Al-Mg-Sc合金におけるAl<sub>3</sub>Sc粒子のオストワルド成長, 軽金属 第35巻 第4号 169-174, 2005
- (27) Watanabe C, Taniguti Y, Monzen R, Tazaki K. Microstructure Evolution of an Ultrafine-grained Al-Mg-Sc Alloy During Annealing., Sapem. Kanazawa. Japan. 2005;775-6.
- (28) Watanabe C, Monzen R, Higashimine K, Tazaki K. Low-cycle Fatigue Behavior and Dislocation Structure of an Al-Mg-Sc Alloy., Sapem. Kanazawa. Japan. 2005;815-6.
- (29) Watanabe D, Watanabe C, Monzen R, Tazaki K. Coarsening of Al<sub>3</sub>Sc Precipitates in an Al-0.28 Wt.% Sc Alloy., Sapem, Kanazawa. Japan 2005; 819-20.
- (30) Tazaki K. Microbial Formation of a Halloysite-Like Mineral. Clays and Clay Minerals 2005;53: 224-33.
- (31) 白石秀一, 高橋直人, 霧島康浩, 朝田隆二, 渡辺弘明, 田崎和江, 井戸揚水管外壁に形成されたZn-SバイオマットとFeバイオマット, 粘土科学 第44巻, 第4号 p.176-190, 2005
- (32) 渡邊千尋, 青塚久和, 門前亮一, 田崎和江, Cu-4.0mass%Ni-0.95mass%Si合金の組織と機械的性質に及ぼすPとCr添加の効果, 銅と銅合金 第44巻1号 p.49-55, 2005
- (33) Nagase T, Chatterjee A, Tanaka AP, Ancoml T, Tazaki K. Structural Change and Cobalt Fixation in the Hydrothermally Synthesized Zeolite Phases from a Si-Al-Co Hydrous Oxide., Chemistry Letters. 2005; 33(11): 1416-7.
- (34) 田崎和江, III 重金属を運搬し, 堆積させる微生物の働き : Fe, Mn, As, Sr の生体鉱物化作用を例にとって, 日本土壤肥料学会編 土壤生成と重金属動態, 2005
- (35) Yamamoto M, Tomita J, Sakaguchi A, Shirotori T, Shiraki K, Tazaki K. Proceedings: Radiochemical Aspect of Hokutolite collected recently at Peitou Hot Spring, Taiwan., 2005 International Conference on Centennial of Discovering Hokutolite and Hot Springs. 2005
- (36) 渡辺 大然・渡邊 千尋・門前 亮一・田崎 和江, Al-Mg-Sc合金におけるAl<sub>3</sub>Sc粒子のオストワルド成長, 軽金属 第55巻 第4号 169-174, 2005
- (37) Bel'kova NL, Parfenova VV, Suslova MY, Ahn TS, Tazaki K. Biodiversity and Activity of the Microbial Community in the Kotelnikovsky Hot Springs (Lake Baikal), Biology Bulletin. Vol.32, No.6, pp.549-555, 2005
- (38) 小林 昭二・田崎 和江, ヒドロダマリス亜科Hydrodamalinae(海牛目:ジュゴン科)における下顎と脊柱の運動機能に関する進化的変化, 地球科学 60巻1号49-62, 2005
- (39) Tazaki K, Okuno M, Fyfe WS. Proof for Bio-sedimentation in Carajas's BIF, ペドロジスト 第49巻 第2号99-108, 2005
- (40) 田崎 和江, 朝田 隆二, 渡邊 弘明, 白木 康一, アスベストの代替品ロックウールの特性と安全性について, 岩石鉱物化学 35, 22-33, 2005

## 鉱物結晶学

- (41) Okuno M, Zotov N, Schmuecker M, Schneider H. Structure of SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> glasses: Combiend X-ray diffraction, IR and Raman studies. *J Non-Cryst Solids* 2005;351:1032-8.
- (42) Shimada K, Miyamoto H, Kikuchi M, Kusaba K, Okuno M. Structural evolution of CaSiO<sub>3</sub> and CaMgSi<sub>2</sub>O<sub>6</sub> metasilicate glasses by static compression. *Chemical Geology* 2005;222:83-93.
- (43) Tazaki K, Okuno M, Fyfe WS. Proof for bio-sedimentation in Carajas's BIF. *Pedologist* 2005;49:99-108.
- (44) Hirose T, Kihara K, Okuno M, Fujinami S, Shinoda, K. X-ray, DTA and Raman studies of monoclinic tridymite and its higher temperature orthorhombic modification with varying temperature. *J Mineral Petrol Sic.* 2005;100:55-69.
- (45) Nakagawa T, Kihara K, Fujinami, S. X-ray studies of structural changes in melanophlogite with varying temperature. *J Mineral Petrol Sci.* 2005;100:247-59.

## 自然科学研究科 (薬学部)

### 健康薬学系

#### 生化学

- (1) Yoshimura, S., Yoshioka, K., Barr, F. A., Lowe, M., Nakayama, K., Ohkuma, S. and Nakamura, N. "Convergence of cell cycle regulation and growth factor signals on GRASP65." *J Biol Chem* 280: 23048-23056. (2005).
- (2) Sohda, M., Misumi, Y., Yoshimura, S., Nakamura, N., Fusano, T., Sakisaka, S., Ogata, S., Fujimoto, J., Kiyokawa, N. and Ikehara, Y. "Depletion of vesicle-tethering factor p115 causes mini-stacked Golgi fragments with delayed protein transport." *Biochem Biophys Res Commun* 338: 1268-74. (2005).

#### 遺伝情報制御学

- (3) Mori, M., Yoshida, K., Ishigaki, Y., Matsunaga, T., Nikaido, O., Kameda, K. and Kondo, T. (2005). UV-B protective effect of a polyacylated anthocyanin, HBA, in flower petals of the blue morning glory, *Ipomoea tricolor* cv. Heavenly Blue., *Bioorg. Med. Chem.* 13, 2015-2020.
- (4) Tanaka, M., Narumi, I., Funayama, T., Kikuchi, M., Watanabe, H., Matsunaga, T., Nikaido, O. and Yamamoto, K. (2005). Characterization of pathways dependent on the uvde, uvrA1, or uvrA2 gene product for ultraviolet resistance in *Deinococcus radiodurans*., *J. Bacteriol.*, 187, 3693-3697.
- (5) Thoma BS, Wakasugi M., Christensen J, Reddy MC, Vasquez KM. (2005). Human XPC-hHR23B interacts with XPA-RPA in the recognition of triplex-directed psoralen DNA interstrand crosslinks., *Nucleic Acids Res.*, 33, 2993-3001.

## 臨床分析科学

- (6) Higashi T., Takido N., Shimada K., Studies on neurosteroids XVII. Analysis of stress-induced changes in neurosteroid levels in rat brains using liquid chromatography-electron capture atmospheric pressure chemical ionization-mass spectrometry, *Steroids*, 2005, 70 (1), 1-11.
- (7) Mizuguchi T., Shibayama Y., Mitamura K., Shimada K., Contribution of glucuronic acid and sulfonic acid moieties during photocatalytic degradation of estrogen conjugates, *J. Health Sci.*, 2005, 51 (4), 447-452.
- (8) Higashi T., Takayama N., Shimada K., Enzymic conversion of  $3\beta$ -hydroxy- $5\alpha$ -ene-steroids and their sulfates to  $3\alpha$ -oxo- $4\alpha$ -ene-steroids for increasing sensitivity in LC-APCI-MS, *J. Pharm. Biomed. Anal.*, 2005, 39 (3-4), 718-723.
- (9) Mitamura K., Ogasawara C., Shiozawa A., Terayama E., Shimada K., Determination method for steroid  $5\alpha$ -reductase activity using liquid chromatography/atmospheric pressure chemical ionization-mass spectrometry, *Anal. Sci.*, 2005; 21 (10): 1241-4.

## 創薬科学系

### 機能性分子設計学

- (10) Yamanaka H, Nakajima M, Katoh M, Kanoh A, Tamura O, Ishibashi H, and Yokoi T. Trans- $3'$ -hydroxycotinine O- and N-glucuronidations in human liver microsomes. *Drug Metab. and Dispos.* 2005; 33: 23-30.
- (11) Taniguchi T, Ishita A, Uchiyama M, Tamura O, Muraoka O, Tanabe G, and Ishibashi H. 7-Endo selective aryl radical cyclization onto enamides leading to 3-benzazepines: Concise construction of a cephalotaxine skeleton. *J. Org. Chem.* 2005; 70: 1922-5.
- (12) Taniguchi T, Tamura O, Uchiyama M, Muraoka O, Tanabe G, and Ishibashi H. Concise synthesis of the tricyclic skeleton of cylindricines using a radical cascade involving 6-endo selective cyclization. *Synlett.* 2005; 1179-81.
- (13) Tamura O, Shiro T, Ogasawara M, Toyao A, and Ishibashi H. Stereoselective syntheses of 4-hydroxy-4-substituted glutamic acids. *J. Org. Chem.* 2005; 70: 4569-77.
- (14) Okitsu T, Saito M, Tamura O, and Ishibashi H.  $\text{Bu}_3\text{SnH}$ -mediated  $5\text{-exo}$  selective radical cyclization of N-vinyl- $\alpha$ - $\beta$ -unsaturated amides leading to  $\gamma$ -lactams. *Tetrahedron.* 2005; 61: 9180-7.
- (15) Taniguchi T, Iwasaki K, Uchiyama M, Tamura O, and Ishibashi H. A short synthesis of lennoxamine using a radical cascade. *Org. Lett.* 2005; 7: 4389-90.
- (16) Tamura O, Mitsuya T, Huang X, Tsutsumi J, Hattori S, and Ishibashi H. Intramolecular cycloaddition of O-tert-butyltrimethylsilyloximes in the presence of  $\text{BF}_3 \cdot \text{OEt}_2$ . *J. Org. Chem.* 2005; 70: 10720-5.

## 薬化学

- (17) Yamada K, Izumi T, Yamada F, Somei M. Solvent Effect on the Reaction of 1-Methoxy-3-(2-nitrovinyl)indole with Nucleophiles, *Heterocycles* 2005; 66(3):583-94.
- (18) Iwaki T, Yamada F, Funaki S, Somei M. Three New Synthetic Methods for the 1,2,3,3a,8,8a-Hexahydropyrrolo[2,3-b]indoles Having an Alkoxy Group at the 3a-Position, *Heterocycles* 2005;65(8):1811-5.
- (19) Somei M., Yamada F. *Natural Products Reports* 2005; 22(1), 73-103.

## 活性相関物理化学

- (20) Kohtani, S.; Ohama, Y.; Ohno, Y.; Tsuji, I.; Kudo, A.; Nakagaki, R.; Photoreductive defluorination of hexafluorobenzene on metal-doped ZnS photocatalysts under visible light irradiation, *Chem. Lett.* 2005;34: 1056-7.
- (21) Kitamura, N.; Toriumi, Y.; Kohtani, S.; Nakagaki, R.; Crystal structure of a coumarin-indoline hybrid dye, *Anal Sci.* 2005; 21: X101-X102.
- (22) Kohtani, S.; Tomohiro, M.; Tokumura, K.; Nakagaki, R.; Photooxidation reactions of polycyclic aromatic hydrocarbons over pure and Ag-loaded BiVO<sub>4</sub> photocatalysts. *Appl Catal B Environ.* 2005;58: 265-72.

## 医療薬学系

### 病院薬学

- (23) Nagai T, Noda Y, Ishikawa K, Miyamoto Y, Yoshimura M, Ito M, Takayanagi M, Takuma K, Yamada K, Nabeshima T. The role of tissue plasminogen activator in methamphetamine-related reward and sensitization. *J Neurochem.* 2005 Feb;92(3):660-7.
- (24) Olariu A, Yamada K, Nabeshima T. Amyloid pathology and protein kinase C (PKC): possible therapeutic effects of PKC activators. *J Pharmacol Sci.* 2005 Jan;97(1):1-5.
- (25) Yamada K, Nagai T, Nabeshima T. Drug dependence, synaptic plasticity, and tissue plasminogen activator. *J Pharmacol Sci.* 2005 Feb;97(2):157-61.
- (26) Takuma K, Yao J, Huang J, Xu H, Chen X, Luddy J, Trillat AC, Stern DM, Arancio O, Yan SS. ABAD enhances A $\beta$ -induced cell stress via mitochondrial dysfunction. *FASEB J.* 2005 Apr;19(6):597-8.
- (27) Takuma K, Yan SS, Stern DM, Yamada K. Mitochondrial dysfunction, endoplasmic reticulum stress, and apoptosis in Alzheimer's disease. *J Pharmacol Sci.* 2005 Mar;97(3):312-6.
- (28) Nagai T, Kamei H, Ito M, Hashimoto K, Takuma K, Nabeshima T, Yamada K. Modification by the tissue plasminogen activator-plasmin system of morphine-induced dopamine release and hyperlocomotion, but not anti-nociceptive effect in mice. *J Neurochem.* 2005 Jun;93(5):1272-9.
- (29) Yamada K, Takayanagi M, Kamei H, Nagai T, Dohniwa M, Kobayashi K, Yoshida S,



Ohhara T, Takauma K, Nabeshima T. Effects of memantine and donepezil on amyloid  $\beta$ -induced memory impairment in a delayed-matching to position task in rats. *Behav Brain Res.* 2005 Jul 30;162(2):191-9.

- (30) Sakaguchi J, Kyo S, Kanaya T, Maida Y, Hashimoto M, Nakamura M, Yamada K, Inoue M. Aberrant expression and mutations of TGF- $\beta$  receptor type II gene in endometrial cancer. *Gynecol Oncol.* 2005 Sep;98(3):427-33.
- (31) Matsuoka Y, Furuyashiki T, Yamada K, Nagai T, Bito H, Tanaka Y, Kitaoka S, Ushikubi F, Nabeshima T, Narumiya S. Prostaglandin E receptor EP1 controls impulsive behavior under stress. *Proc Natl Acad Sci U S A.* 2005 Nov 1;102(44):16066-71.

## 創剤科学

- (32) Kobayashi D, Irokawa M, Maeda T, Tsuji A, Tamai I. Carnitine/organic cation transporter OCTN2-mediated transport of carnitine in primary-cultured epididymal epithelial cells. *Reproduction* 2005;130(6): 931-7.
- (33) Li Q, Kato Y, Sai Y, Imai T, Tsuji A. Multidrug resistance-associated protein 1 functions as an efflux pump of xenobiotics in the skin. *Pharm Res.* 2005; 22(6): 842-6.
- (34) Kobayashi D, Goto A, Maeda T, Nezu J, Tsuji A, Tamai I. OCTN2-mediated transport of carnitine in isolated Sertoli cells, *Reproduction* 2005; 129(6): 729-36.
- (35) Kato Y, Sai Y, Yoshida K, Watanabe C, Hirata T, Tsuji A. PDZK1 directly regulates the function of organic cation/carnitine transporter OCTN2, *Mol. Pharmacol.* 2005; 67(3): 734-43.
- (36) Tsuji A. Small Molecular Drug Transfer across the Blood-Brain Barrier via Carrier-Mediated Transport System. *J Am Soc Exp Neuro.* 2005; 2(1):54-62.
- (37) Tsuji A. Influx transporters and drug targeting: Application of peptide and cation transporters. *Int Cong Series* 2005; 1277: 75-84.

## がん研究所

### 遺伝子発現

- (1) Le TT, Zhang S, Hayashi N, Yasukawa M, Delgermaa L, Murakami S. Related Articles, Links Abstract Mutational analysis of human RNA polymerase II subunit 5 (RPB5): the residues critical for interactions with TFIIF subunit RAP30 and hepatitis B virus X protein. *J Biochem (Tokyo).* 2005 Sep;138(3):215-24.
- (2) Hayashi N, Nomura T, Sakumoto N, Mukai Y, Kaneko Y, Harashima S, Murakami S. Related Articles, Links Abstract The SIT4 gene, which encodes protein phosphatase 2A, is required for telomere function in *Saccharomyces cerevisiae*. *Curr Genet.* 2005 Jun;47(6):359-67.

### 組織分子構築

- (3) Fujii C, Nakamoto Y, Lu P, Tsuneyama K, Popivanova B, Kaneko S, and Mukaida N. Aberrant expression of serine/threonine kinase Pim-3 in hepatocellular carcinoma development and its role in the proliferation of human hepatoma cell lines. *Intl. J. Cancer* 2005; 114: 209-18.
- (4) Iizasa H, Yoneyama H, Mukaida N, Kataoka Y, Naito M, Yoshida N, Nakashima E, and Matsushima K. Exacerbation of granuloma formation in IL-1 receptor antagonist-deficient mice with impaired dendritic cell maturation associated with Th2 cytokine production. *J. Immunol.* 2005; 174 (5) 3273-80.
- (5) Kurashima K, Tamura J, Fujimura M, Qiu Z, Nakako S, and Mukaida N. Reduced serum antibody production and acute airway inflammation in interleukin-6-deficient mice challenged with ovalbumin. *Allergology Intl.* 2005; 54 (2): 331-8.
- (6) Kuroda T, Kitadai Y, Tanaka S, Yang X, Mukaida N, Yoshihara M, and Chayama K. Monocyte chemoattractant protein-1 transfection induces angiogenesis and tumorigenesis of gastric carcinoma in nude mice via macrophage recruitment. *Clin. Cancer Res.* 2005; 11 (2): 7629-36.

### 細胞情報調節

- (7) Kawakami T, Tateishi K, Yamano Y, Ishikawa T, Kuroki K, Nishimura T. Protein identification from product ion spectra of peptides validated by correlation between measured and predicted elution times in liquid chromatography/mass spectrometry. *PROTEOMICS* 2005; 5:856-864.

### 分子薬理学

- (8) Oshima M, Oshima H, Matsunaga A, Taketo MM. Hyperplastic gastric tumors with spasmolytic polypeptide-expressing metaplasia caused by tumor necrosis factor-alpha-dependent inflammation in cyclooxygenase-2/microsomal prostaglandin E synthase-1 transgenic mice. *Cancer Res.* 2005 Oct 15;65(20):9147-51.

### 細胞機能統御

- (9) Aoki T, Sato D, Li Y, Takino T, Miyamori H, Sato H. Cleavage of apolipoprotein E by membrane-type matrix metalloproteinase-1 abrogates suppression of cell proliferation. *J Biochem. (Tokyo)* 2005; 137: 95-9.
- (10) Takino T, Nakada M, Miyamori H, Watanabe Y, Sato T, Gantulga D, Yoshioka K, Yamada KM, Sato H. JSAP1/JIP3 cooperates with FAK to regulate c-Jun N-terminal kinase and cell migration. *J Biol Chem.* 2005;280: 37772-81.

### 分子標的薬剤開発センター

- (11) Kidoya H, Umemura M, Kawabe T, Matsuzaki G, Yahagi A, Imamura R, Suda T.; Fas ligand induces cell-autonomous IL-23 production in dendritic cells, a mechanism for Fas ligand-induced IL-17 production. *J Immunol.* 2005 Dec 15;175(12):8024-31.
- (12) Hasegawa M, Imamura R, Kinoshita T, Matsumoto N, Masumoto J, Inohara N, Suda T.; ASC-mediated NF-kappaB activation leading to interleukin-8 production requires caspase-8 and is inhibited by CLARP. *J Biol Chem.* 2005 Apr 15;280(15):15122-30.
- (13) Shozu M, Minami N, Yokoyama H, Inoue M, Kurihara H, Matsushima K, Kuno K : ADAMTS-1 is involved in follicular development, ovulatory process and organization of the medullary vascular network in the ovary. *J Mol Endocrinol.* 2005; 35: 343-55.
- (14) Moriyama-Kita M, Endo Y, Yonemura Y, Heizmann CW, Miyamori H, Sato H, Yamamoto E, Sasaki T. S100A4 regulates E-cadherin expression in oral squamous cell carcinoma. *Cancer Lett.* 2005 Dec 18;230(2):211-8.
- (15) Shimada T, Nomura M, Yokogawa K, Endo Y, Sasaki T, Miyamoto K, Yonemura Y. Pharmacokinetic advantage of intraperitoneal injection of docetaxel in the treatment for peritoneal dissemination of cancer in mice. *J Pharm Pharmacol.* 2005 Feb;57(2):177-81.

### 自然計測応用研究センター

- (1) Yokoyama S, Kuroda M, Sato T. Atomic force microscopy study of montmorillonite dissolution under highly alkaline condition. *Clays Clay Mineral.*2005;53:147-54.
- (2) Fukushi K, Sato T. Using a Surface Complexation Model to Predict the Nature and Stability of Nanoparticles. *Environ Sci. Technol.*2005;39: 1250-6.
- (3) Wang X, Sato T, Xing B, Tamamura, S. and Tao, S.: Source identification, size distribution and indicator screening of airborne trace metals in Kanazawa, Japan. *J. Aerosol Sci.*2005;36:197-210.
- (4) Suzuki Y, Sato T, Isobe H, Kogure T, Murakami T. Dehydration processes of the meta-autunite group minerals, meta-autunite, metasaleeite and metatorbernite. *Am Mineral.*2005; 90: 1308-14.
- (5) Murakami T, Sato T, Ohnuki T, Isobe H. Field evidence for uranium nanocrystallization and its implications for uranium transport. *Chem Geol.*2005; 221: 117-126.
- (6) 柴田真仁・須藤俊吉・坂本浩幸・佐藤努: ベントナイト-セメント相互作用で生成する C-S-H ゲルの検出, 日本原子力学会和文論文誌,4,227-231.(2005)
- (7) Wang X, Sato T, Xing B, Tao S. Health risks of heavy metals to the general public in Tianjin, China via consumption of vegetables and fish. *The science of the total environment* 2005; 350: 28-37.
- (8) Pascua C, Charnock J, Polya D, Sato T, Yokoyama S, Minato M. Arsenic-bearing smectite

from the geothermal environment. Mineralogical Magazine 2005;69:897-906.

- (9) Yokoyama S, Watanabe Y, Uno H, Tamura K, Sato T, Yamada H. Adsorption and Desorption Behavior of Ammonium Ion on Expandable Illite. Transactions of the Materials Research Society of Japan 2005;30:1045-8.
- (10) 佐藤 努・伊藤健一・福士圭介・池田穂高・平野武嗣・橋本晃一: 自然に学ぶ環境浄化技術とその事業化, 地質と調査, 103, 12-16. (2005)
- (11) 井上厚行・河野元治・桑原義博・小崎完・小峰秀雄・佐藤努・月村勝宏: 高レベル放射性廃棄物地層処分におけるベントナイト緩衝材変質現象に関する最近の研究と今後の研究展開, 日本粘土学会誌,45,31-61.(2004)
- (12) 早川和一, 岩坂泰, 佐藤努: 黄砂と燃焼粉塵による東アジア地域の環境問題, 環境情報科学, 34, 17-28. (2005)

## 学際科学実験センター

### 遺伝子改変動物分野

- (1) Akagi T, Usuda M, Matsuda T, Ko MSH, Niwa H, Asano M, Koide H, and Yokota T. Identificarion of Zfp-57 as a downstream molecule of STAT3 and Oct-3/4 in embryonic stem cells. Biochem. Biophys. Res. Commun. 2005; 331: 23-30.
- (2) Yamamoto Y, Doi T, Kato I, Shinohara H, Sakurai S, Yonekura H, Watanabe T, Myint MK, Harashima A, Takeuchi M, Takasawa S, Okamoto H, Hashimoto N, Asano M, and Yamamoto H. Receptor for advanced glycation end products is a promising target of diabetic nephropathy. Ann. N.Y. Acad. Sci. 2005; 1043: 562-6.
- (3) Ueno M, Itoh M, Kong L, Sugihara K, Asano M, and Takakura N. PSF1 is essetial for early embryogenesis in mice. Mol. Cell. Biol. 2005; 25: 10528-32.
- (4) Sato T, Hidaka K, Iwanaga A, Ito M, Asano M, Nakabeppu Y, Morisaki T, and Yoshioka K. Impairment of cardiomyogenesis in embryonic stem cells lacking scaffold protein JSAP1. Biochem. Biophys. Res. Commun. 2005; 338: 1152-7.
- (5) 浅野雅秀,西江敏和: 糖転移酵素遺伝子破壊による新たな IgA 腎症モデル. 「Annual Review 2005腎臓」中外医学社,pp57-61 (2005)
- (6) 西江敏和,浅野雅秀: IgA 腎症と糖鎖不全 IgA. 「糖鎖と病気 (谷口直之編集)」遺伝子医学 Mook3,pp53-58 (2005)
- (7) 浅野雅秀:  $\beta$ 4-ガラクトース転移酵素遺伝子欠損と IgA 腎症. 「未来を拓く糖鎖科学 (永井克孝監修)」金芳堂,pp364-365 (2005)
- (8) 浅野雅秀:  $\beta$ -1,4-ガラクトース転移酵素 I( $\beta$ 4GalT-I)遺伝子ノックアウトマウスによる糖鎖機能の解明. 「未来を拓く糖鎖科学 (永井克孝監修)」金芳堂,p392 (2005)

### ゲノム機能解析分野

- (9) Tanabe Y, Hasebe M, Sekimoto H, Nishiyama T, Kitani M, Henschel K, Munster T, Theissen G, Nozaki H, Ito M. Characterization of MADS-box genes in charophycean green algae and its implication for the evolution of MADS-box genes. *Proc Natl Acad Sci U S A*. 2005 Feb 15;102(7):2436-41.
- (10) Shimanuki M, Shimamura K, Hirai S, Nishiuchi T, Suzuki K, Kodama H. Polyethylene glycol-mediated enhancement of the hybridization rate on cDNA microarrays. *Anal Biochem*. 2005 Sep 15;344(2):284-6.

### トレーサー情報解析分野

- (11) Shiba K, Ogawa K, Mori H. In vitro characterization of radioiodinated (+)-2-[4-(4-iodophenyl) piperidino]cyclohexanol [(+)-pIV] as a sigma-1 receptor ligand. *Bioorg Med Chem*. 2005; 13(4)4: 1095-9.
- (12) Kinuya S, Yokoyama K, Izumo M, Sorita T, Obata T, Mori H, Shiba K, Watanabe N, Shuke N, Michigishi T, Tonami N. Locoreginal radioimmunotherapy with <sup>186</sup>Re-labeled monoclonal antibody in treating small peritoneal carcinomatosis of colon cancer in mice in comparison with <sup>131</sup>I-counterpart. *Cancer Lett*. 2005; 219: 41-8.
- (13) Kinuya S, Yokoyama K, Fukuoka M, Mori H, Shiba K, Watanabe N, Shuke N, Michigishi T, Tonami N. Anti-angiogenic therapy and chemotherapy affect <sup>99m</sup>Tc-sestamibi and <sup>99m</sup>Tc-HL91 accumulation differentially in tumour xenografts. *Nucl Med Communications* 2005; 21 (12):1067-73.
- (14) Fujioka Y, Satake S, Uehara T, Mukai T, Akizawa H, Ogawa K, Saji H, Endo K, Arano Y. In vitro system to estimate renal brush border enzyme-mediated cleavage of peptide linkages for designing radiolabeled antibody fragments of low renal radioactivity levels. *Bioconjugate Chemistry* 2005;16(6): 1610-6.
- (15) Ogawa K, Mukai T, Arano Y, Ono M, Hanaoka H, Ishino S, Hashimoto K, Nishimura H, and Saji H. Development of a rhenium-186-labeled MAG3 conjugated bisphosphonate for the palliation of metastatic bone pain based on the concept of bifunctional radiopharmaceuticals. *Bioconjugate Chemistry* 2005; 16(4): 751-7.
- (16) Kikunaga H, Kasamatsu Y, Takamiya K, Mitsugashira T, Hara M, Ohtsuki T, Yuki H, Shinohara A, Shibata S, Kinoshita N, Yokoyama A, Nakanishi T, Search for  $\alpha$ -decay of <sup>229m</sup>Th produced from <sup>229</sup>Ac  $\beta$ -decay following <sup>232</sup>Th( $\gamma$ , p2n) reaction. *Radiochim. Acta* 2005; 93:507-10.
- (17) Yoshikawa H, Nakahara H, Imamura M, Kobayashi K, Nakanishi T, Determination of <sup>14</sup>C in volcanic gas by accelerator mass spectrometry, *Radiocarbon* 2005; 47:211-9.
- (18) Kasamatsu Y, Kikunaga H, Takamiya K, Mitsugashira T, Nakanishi T, Ohkubo Y, Ohtsuki T, Sato W, Shinohara A, Search for the decay of <sup>229m</sup>Th by photon detection, *Radiochim. Acta*

2005; 93:511-4.

#### 機器分析分野

- (19) Tsukamoto S, Hirota H, Imachi M, Fujimuro M, Onuki H, Ohta T, Yokosawa H. Himeic Acid A: A New Ubiquitin-Activating Enzyme Inhibitor Isolated from a Marine-Derived Fungus, *Aspergillus* sp. *Bioorg. Med. Chem. Lett.* 2005; 15(1): 191-4.
- (20) Tsukamoto S, Yamashita Y, Ohta T. New Cytotoxic and Antibacterial Compounds Isolated from the Sea Hare, *Aplysia kurodai*. *Mar. Drugs.* 2005; 3(2): 22-8.
- (21) Tsukamoto S, Aburatani M, Ohta T. Isolation of the Potent CYP3A4 Inhibitors from the Black Cohosh (*Cimifunga racemosa*). *eCAM.* 2005; 2(2): 223-6.
- (22) Tsukamoto S, Koimaru K, Ohta T. Secomycalolide A: A New Proteasome Inhibitor Isolated from a Marine Sponge of the Genus *Mycale*. *Mar. Drugs.* 2005; 3(2): 29-36.
- (23) Tsukamoto S, Wakana T, Koimaru K, Yoshida T, Sato M, Ohta T. 7-Hydroxy-3-(4-hydroxybenzyl)chroman and Broussonin B: Neurotrophic Compounds, Isolated from *Anemarrhena asphodeloides* BUNGE, Function as Proteasome Inhibitors. *Biol. Pharm. Bull.* 2005; 28(9): 1798-800.
- (24) Tsukamoto S, Aburatani M, Yoshida T, Yamashita Y, El-beih AA, Ohta T. CYP3A4 Inhibitors Isolated from Licorice. *Biol. Pharm. Bull.* 2005; 28(10): 2000-2.
- (25) Takano F, Yahagi N, Yahagi R, Takada S, Yamaguchi M, Shoda S, Murase T, Fushiya S, Ohta T. The liquid culture filtrates of *Paecilomyces tenuipes* (Peck) Samson (= *Isaria japonica* Yasuda) and *Paecilomyces cicadae* (Miquel) Samson (= *Isaria sinclairii* (Berk.) Llod) regulate Th1 and Th2 cytokine response in murine Peyer's patch cells in vitro and ex vivo. *Int. Immunopharmacol.* 2005; 5: 903-16.
- (26) Takano F, Yamaguchi M, Shoda S, Fu Z-D, Ohta T. Toxicological studies on hot water extracts of *Pleurocybella porrigens* (Pers.:Fr.) in mice. *Natural Medicines.* 2005; 59(4) 151-6.
- (27) Ohba M. Diterpene-containing adenine alkaloids. *Recent Res. Devel. Organic Chem.* 2005; 9: 71-92.